




**PROGRESS
ARCHITECTURE**

PROT24-B

Mounting system for ceiling panels
from expanded metal mesh



**Spatial
effect**



**Building
redevelopment**



**Durability
& resistance**



Eco-friendly



Vandal-resistant




**A1 - A2 fire
classification**



Quick access

■ PROT24-B

MOUNTING SYSTEM FOR EXPANDED METAL MESH



DESCRIPTION

The "B" variant of the PROT24 system is designed for the installation of expanded metal ceiling panels with a strand below 3,5mm. The mesh is formatted by cutting and bending of different heights. The edges of the panel are supported by T24 support profiles. Removal of individual panels does not cause the remaining panels to move. In the PROT24-B variant, the assembled mesh panels form a uniform surface with visible divisions of T24 profiles.

TECHNICAL PARAMETERS

Max. panel width:	600 mm
Max. panel length:	600 mm
Infill type:	expanded metal mesh
Infill material:	aluminium
Surface finishing:	powder coating

GUIDELINES


The ceiling substructure is composed of a single-level cross-bearing grid. The grid is suspended to the ceiling with slings. The offer includes ceiling infill panels adapted to the T24 substructure.

APPLICATIONS


Interior suspended ceilings

■ PROT24-B

MOUNTING SYSTEM FOR EXPANDED METAL MESH



mesh panels formatted by cutting
and bending



mesh panels with visible substructure

RECOMMENDED MESH MODELS

EXPANDED METAL MESH

GALLA C012008012

GALLA C020008025

GALLA C025010025

GALLA C030013030

GALLA C006005010



FOLLOW US

